

DEPARTMENT OF TRANSPORTATION**DES-OE MS #43****1727 30TH Street, 2ND Floor
Sacramento, CA 95816**

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

July 2, 2002

07-LA-60-30.8/31.4
07-023964
ACNH-P060(116)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in LOS ANGELES COUNTY IN INDUSTRY FROM STONER CREEK ROAD UNDERCROSSING TO FULLERTON ROAD UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on July 11, 2002.

This addendum is being issued to revise the Project Plans and the Proposal and Contract

On Project Plan Sheets 4, 5, 6, 27 and 28 the sound wall height is changed from 4.27 m to 4.37 m.

On Project Plan Sheet 26 in the table entitled, "SOUND WALL ITEMS," under the column "400 mm CAST-IN-DRILLED-HOLE CONCRETE PILLING (BARRIER)," the quantities for "SW 308" and the "Total" are revised from 4877 m to 2550 m.

On Project Plan Sheet 29 in the legend table under "Textured" the description "Split Face" is revised to "Split Face 2-Sided" and "Split Face Fluted" is revised to "Split Face Fluted 2-Sided".

In the Proposal and Contract, the Engineer's Estimate Item 32 is revised as attached.

To Proposal and Contract book holders:

Replace page 4 of the Engineer's Estimate in the Proposal with the attached revised page 4 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1
Page 2
July 2, 2002

07-LA-60-30.8/31.4
07-023964
ACNH-P060(116)E

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachment

ENGINEER'S ESTIMATE

07-023694

Item	Item Code	Item	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	160101	CLEARING AND GRUBBING	LS	LUMP SUM	LUMP SUM	
22	190101	ROADWAY EXCAVATION	M3	590		
23	190103	ROADWAY EXCAVATION (TYPE Y) (AERIALY DEPOSITED LEAD)	M3	190		
24	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
25	200001	HIGHWAY PLANTING	LS	LUMP SUM	LUMP SUM	
26	204099	PLANT ESTABLISHMENT WORK	LS	LUMP SUM	LUMP SUM	
27	208000	IRRIGATION SYSTEM	LS	LUMP SUM	LUMP SUM	
28	024113	EXTEND IRRIGATION CROSSEOVERS	M	10		
29	260301	CLASS 3 AGGREGATE BASE	M3	150		
30	390103	ASPHALT CONCRETE (TYPE B)	TONN	1307		
31	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	M2	370		
32 (S)	498024	400 MM CAST-IN-DRILLED-HOLE CONCRETE PILING (BARRIER)	M	2550		
33 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	M3	8		
34 (F)	517961	SOUND WALL (BARRIER) (MASONRY BLOCK)	M2	1931		
35 (F)	560218	FURNISH SIGN STRUCTURE (TRUSS)	KG	3254		
36 (S-F)	560219	INSTALL SIGN STRUCTURE (TRUSS)	KG	3254		
37 (S)	561008	760 MM CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION)	M	4.5		
38	024101	METAL (WALL MOUNTED SIGN)	EA	2		
39	650067	300 MM REINFORCED CONCRETE PIPE	M	16		
40	650069	450 MM REINFORCED CONCRETE PIPE	M	11		